

microburst™

Hypochlorous acid (HOCl)

LOG 6 Hospital grade disinfection



Broad Spectrum - Fast Acting

80x-100x More Effective Than Bleach

Nontoxic - Gentle on Surfaces

Easy to Use - Ideal for Fogging

Kills up to **99.9999%**

C. diff
MRSA
VRE
Norovirus
SARS CoV-2
Rhinovirus

S. enterica
C. auris
E. coli
S. aureus
P. aeruginosa
Influenza A









"...the form of free available chlorine having the highest bactericidal activity against a broad range of microorganisms..."

- U.S. FDA 2015



nevoainc.com | info@nevoainc.com | 480-361-4071

RESULTS

 Candida auris	Average results: 5.9 Log₁₀ reduction* Fungus (MDRO) identified in 2009. Tested with soil load, 2 min. contact, CDC Strain B11903.	 Methicillin-resistant Staphylococcus aureus-MRSA	Average results: 4.8 Log₁₀ reduction * Gram-positive bacteria (MDRO). Tested with and without soil load, 1 min. contact, ATCC #33592.
 Clostridium difficile	Up to 6.4 Log₁₀ reduction* Gram-positive spore forming bacteria (MDRO). Tested with soil load, 10 min. contact, ATCC #43598.	 Pseudomonas aeruginosa	Average results: 6.5 Log₁₀ reduction Gram-negative bacteria (MDRO). Tested with soil load, 1 min. contact, ATCC #15442.
 Escherichia coli	Average results: 4.0 Log₁₀ reduction * Gram-negative bacteria. Tested without soil load, ATCC #15597.	 Salmonella enterica	Average results: 6.4 Log₁₀ reduction Gram-negative bacteria. Tested with soil load, 1 min. contact, ATCC #10708.
 Influenza A	Average results: 4.8 Log₁₀ reduction * Enveloped virus. Tested with soil load, ATCC #VR-1469.	 Staphylococcus aureus	Average results: 6.5 Log₁₀ reduction Gram-positive bacteria. Tested with soil load, 1 min. contact, ATCC #6538.
 Human Rhinovirus	Average results: 4.8 Log₁₀ reduction Non-enveloped virus. Tested with soil load, 1 min. contact, ATCC #VR-283, Strain 11757.	 Vancomycin-resistant enterococcus faecalis (VRE)	Average results: 5.6 Log₁₀ reduction * Gram-positive bacteria (MDRO). Tested without soil load, ATCC #51575.
 Feline calicivirus (FVC)	Average results: 5.2 Log₁₀ reduction Non-enveloped virus. Tested with soil load, 1 min. contact, ATCC #VR-782, Strain F-9.	 SARS-CoV-2 & Human Norovirus	Average results: 5.2 Log₁₀ reduction Non-enveloped virus. Tested with soil load, 1 min. contact, ATCC #VR-782, Strain F-9.

EPA Recognized Surrogate For



SARS-CoV-2 & Human Norovirus

CONCLUSION

This product has been tested according to EPA standards for Hospital-Grade Disinfection. Additionally, this product qualifies for emerging viral pathogen claims per the EPA's "Guidance for Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels" when used in accordance with the appropriate use directions.

*Additional studies conducted by independent laboratories that follow EPA/FDA Good Laboratory Practices (GLP) demonstrate Nevoa Microburst Solution™ is highly effective in disinfecting various pathogens, including those known to cause HAIs.